

Carbon Black Symposia 1999-2004

Papers Presented at the meetings Of the Rubber Division, ACS



**Papers available for \$15 each for Division members, \$35 each for
Non-members from:**

**Christopher Laursen
Science & Technology Librarian
Rubber Division, ACS
The University of Akron
Auburn Science & Engineering 104
Akron, Ohio 44325-3907 USA
phone: 330-972-7197
fax: 330-972-5574
email: laursen@uakron.edu**

Copyright © 2004 Rubber Division, American Chemical Society, Inc.

Fall 1999

- 122 **Raman Study of Kinetics of Graphitization of Carbon Blacks**
T. Waldek Zerda, Texas Christian University
Tyler Gruber, Texas Christian University
- 155 **Carbon Black Dispersion by Electrical Measurements**
Leszek Nikiel, Sid Richardson Carbon Company
Charles P. O'Farrell, Sid Richardson Carbon Company
Michel Gerspacher, Sid Richardson Carbon Company
- 156 **AC Impedance Spectroscopy of Carbon Black-Rubber Composites**
Michel Gerspacher, Sid Richardson Carbon Company
C.P. O'Farrell, Sid Richardson Carbon Co.
Leszek Nikiel, Sid Richardson Carbon Company
- 75 **The Effects Of Certain Recipe Ingredients And Mixing Sequence On The Rheology And Processability Of Silica- And Carbon Black-Filled Tire Compounds**
Stephane Schaal, The University of Akron
Syed K. Mowdood, Pirelli Tire LLC
Aubert Y. Coran, The University of Akron
- 177 **Simulation of Carbon Black Reinforcement of Elastomers by Finite Element Analysis**
Joseph Padovan, The University of Akron
Mehdi Razzaghi-Kashani, The University of Akron
- 179 **Carbon Black and Fullerenes: New Discoveries in Early Formation Mechanisms and Nucleation**
T. K. Wang, Ecole Nationale Superieure De Chimie De Mulhouse , France
C. C. Wang, Ecole Nationale Superieure de Chime de Mulhouse , France
M. Pontier Johnson, Continental Carbon Company
R. W. Locke, Continental Carbon Company
J. B. Donnet, Ecole Nationale Superieure de Chimie de Mulhouse , France
P. Bertrand, Université Catholique De Louvain PCPM , Belgium
- 180 **The Effect of Carbon Black Morphological Characteristics on Fatigue Crack Growth in Rubbers**
Mike Rowlinson, Columbian Chemicals Company , UK
Jorge A. Ayala, Columbian Chemicals , UK

183 A Practical Method to Eliminate Flaws Caused by Carbon Black Surface Humidity - Its Effects on Improving Mixing Process and Rubber Compound Fatigue Properties

A. Abbasi Abyaneh, Kerman Tire & Rubber Company
A. Eftekhary, Kerman Tire & Rubber Company

34 A New Carbon Black for Peroxide-Cured EPDM Coolant Hose

Maurizio Lucchi, Cabot Italiana SpA , Italy
Steve Monthey, Cabot Industrial Products

145 Mechanism of Dual Carbon Black Reinforcement in Tyre Tread

B. Dutta, Phillips Carbon Black Limited , India
K. G. Gireesan, Phillips Carbon Black Limited , India
S. Ghosh, Phillips Carbon Black Limited , India
S. Chakraborty, Phillips Carbon Black Limited , India
P. K. Pal, Phillips Carbon Black Limited , India
B. Mukhopadhyay, Phillips Carbon Black Limited , India

Spring 2000

- 25 **Better Process Description For The Extrusion Of Silica And Carbon Black Compounds**
A. Limper, University of Paderborn , Germany
D. Schramm, University of Paderborn , Germany

Fall 2000

- 58 **Differential Dynamic Modulus of Silica Filled and Carbon Black Filled SBR Vulcanizates in Cycles of Large Shearing Deformation and Recovery**
Yoshinobu Isono, Nagaoka University of Technology , Japan
Masahiro Tamada, Nagaoka University of Technology , Japan
- 98 **A New Cabot Carbon Black for Improved Performance in Peroxide Cured Injection Molded Compounds.**
Steve Laube, Cabot Corporation
- 123 **Effect of the Type of Carbon Black on the Volume Resistivity of an EPDM Compound.**
Peter J. Donnelly, Cancarb Limited , Canada

Spring 2001

- 62 **Effects of Carbon-Polymer Gel on the Processability and Vulcanizate Properties of Carbon Black Masterbatch**
J. Zhao, Ameripol Synpol Corporation
G. Ghebremeskel, Ameripol Synpol Corporation
- 68 **Influence of Structure and Specific Surface Area of Soft Carbon Blacks on the Electrical Resistance of Filled Rubber Compounds**
Werner Niedermeier, Degussa AG , Federal Republic of Germany
Joachim Frohlich, Degussa AG , Federal Republic of Germany

Fall 2001

- 20 **Flocculation in Carbon Black Filled Rubber Compounds**
M. Gerspacher, Sid Richardson Carbon Co.
L. Nikiel, Sid Richardson Carbon Co.
H. H. Yang, Sid Richardson Carbon Co.
C.P. O'Farrell, Sid Richardson Carbon Co.
G. A. Schwartz, University of Buenos Aires , Argentina
- 70 **Carbon Black Constituents: What a Compounder Should Know**
Steve Laube, Cabot Corporation
Ping Zhang, Cabot Corporation
Parker Davis, Cabot Corporation
- 71 **Quality and Performance of Carbon Blacks from Plasma Process**
N. Probst, Erachem Europe S.A. , Belgium
E. Grivei, Erachem Europe S.A. , Belgium
F. Fabry, Erachem Europe S.A. , Belgium
- 118 **Optimization of Tire Tread Properties Using Emulsion Styrene-Butadiene Rubber Based Wet Masterbatches Filled with a Silica and a Blend of Silica and Carbon Black Filler System**
J. Zhao, Ameripol Synpol Corporation
G. Ghebremeskel, Ameripol Synpol Corporation
- 131 **Cure System and Carbon Black Effects on NR Compound Performance in Truck Tire Applications**
Bin Chung, Cheng Shin Rubber USA/Maxxis International
H. R. Tomlinson, Cheng Shin Rubber USA/Maxxis International
Gwen Mouzon, Cheng Shin Rubber USA/Maxxis International
Tommy Miller, Cheng Shin Rubber USA/Maxxis International
Hung-yu Lin, Cheng Shin Rubber Ind. Co., LTD , ROC
Chin-Fang Ho, Cheng Shin Rubber Ind. Co., LTD. , ROC
Wally Chen, Cheng Shin Rubber Ind. Co., LTD. , ROC
- 137 **Effect of Crosslink Density on Cut Growth in Black-Filled Natural Rubber Vulcanizates**
G. R. Hamed, The University of Akron
N. Rattanasom, The University of Akron

Spring 2002

E Carbon Black-Elastomer Composites

M. Gerspacher, Sid Richardson Carbon Co.
C.P. O'Farrell, Sid Richardson Carbon Co.

1 Influence of Carbon Black Surface Activity on Vulcanization Reaction

Salvador Borros, Institut Quimic Sarria (Universitat Ramon Llull) , Spain
E. Vidal-Escales, Institut Quimic de Sarria (Universitat Ramon Llull) , Spain

3 Effect of Carbon Black Concentration on Cut Growth in NR Vulcanizates

G. R. Hamed, The University of Akron
A. A. Al-Sheneper, The University of Akron

35 Structure and Dynamics of Carbon Black Filled Elastomers II. IMS and IR

Mun F. Tse, ExxonMobil Chemical Company
Andy H. Tsou, ExxonMobil Chemical Company
Michael K. Lyon, ExxonMobil Chemical Company

46 Effect of Chemical Composition of BIMS on the Morphology of its Blends with BR: Part 2. Blends with Carbon Black

Ilan Duvdevani, ExxonMobil Chemical Company
Andy H. Tsou, ExxonMobil Chemical Company
Masayuki Yamaguchi, The Polymer Processing Institute
Costas G. Gogos, The Polymer Processing Institute

38 A New Carbon Black to Reduce Rolling Resistance

Tsukasa Maruyama, The Yokohama Rubber Co. Ltd. , Japan
Kazunori Ishikawa, The Yokohama Rubber Co. Ltd. , Japan
Yoshiaki Kirino, The Yokohama Rubber Co. Ltd. , Japan

131 **Cure System and Carbon Black Effects on NR Compound Performance in Truck Tire Applications**

Bin Chung, Cheng Shin Rubber USA/Maxxis International
H. R. Tomlinson, Cheng Shin Rubber USA/Maxxis International
Gwen Mouzon, Cheng Shin Rubber USA/Maxxis International
Tommy Miller, Cheng Shin Rubber USA/Maxxis International
Hung-yu Lin, Cheng Shin Rubber Ind. Co., LTD , ROC
Chin-Fang Ho, Cheng Shin Rubber Ind. Co., LTD. , ROC
Wally Chen, Cheng Shin Rubber Ind. Co., LTD. , ROC

20 **Flocculation in Carbon Black Filled Rubber Compounds**

M. Gerspacher, Sid Richardson Carbon Co.
L. Nikiel, Sid Richardson Carbon Co.
H. H. Yang, Sid Richardson Carbon Co.
C.P. O'Farrell, Sid Richardson Carbon Co.
G. A. Schwartz, University of Buenos Aires , Argentina

Fall 2002

- 49 **The Role of Oxidised Carbon Black in Tyre Tread Compound**
S. K. Chakraborty, Indian Rubber Mfrs. Research Association , India
Anushree Dukhande, Indian Rubber Mfrs. Research Association , India
M. S. Banerjee, Indian Rubber Mfrs. Research Association , India
- 50 **Regeneration of Carbon Black from Waste Automobile Tires and Its Use in Carcass Compound**
Rabindra Mukhopadhyay, HASETRI , India
Nilkanta Mondal, HASETRI , India
Saikat Das Gupta, HASETRI , India
- 51 **Novel Approach of Rubber-Filler Interaction Through Surface Modification of Carbon Black**
S. Chakraborty, Phillips Carbon Black Limited , India
S. Ganguly, Phillips Carbon Black Ltd. , India
P. Bhattacharya, Jadavpur University , India
A. N. Banerjee, University of Calcutta , India
- 74 **NR/Carbon Black Masterbatch Produced with Continuous Liquid Phase Mixing**
Meng-Jiao Wang*, Cabot Corporation
Ting Wang, Cabot Corporation
Yee Ling Wong, Cabot Corporation
James Shell*, Cabot Corporation
Khaled Mahmud, Cabot Corporation

Spring 2003

- 14 **Effect of Carbon Black on Crosslinking**
Ginger Lee, The Goodyear Tire & Rubber Co.
A. N. Gent, The University of Akron
J. A. Hartwell, ATK Tactical Systems
- 33 **Effect of Carbon Black Loading on Electrospun Butyl Rubber Nonwoven Mats**
Nantiya Viriyabanthorn, University of Massachusetts Lowell
Jamila Shawon, University of Massachusetts Lowell
Joey L. Mead, University of Massachusetts Lowell
Ross G. Stacer, University of Massachusetts Lowell

Fall 2003

16 Carbon Black Dispersion Measurement in Rubber Vulcanizates via Interferometric Microscopy

Archie Smith, Columbian Chemical Co.

Toni L. Aybar, Columbian Chemical Co.

Ricky W. Magee, Columbian Chemical Co.

Charles R. Herd, Columbian Chemicals Company

46 A Study on the Effect of Solvent Swelling on the Conductivity of Elastomer-Carbon Black Composites. Part I: Electrical Characterization

Alfredo Marquez L., Centro de Investigacion en Materiales Avanzados S.C. , Mexico

Antonio Carrillo, Centro de Investigacion en Materiales Avanzados S.C. , Mexico

109 A Review of the Different Mixing Methods and Process Additive Influences in Black and Silica Filled Compounds

Colin Clarke, Schill & Seilacher Struktol AG , Germany

Manfred Hensel, Schill + Seilacher Struktol AG , Germany

76 Characterization of Carbon Black Filled Elastomers by Ultrasonic Impedance Technique

W. Victor Chang, University of Southern California

Jason H. Wu, University of Southern California

Spring 2004

24A Effect of Carbon Black on Properties of Rubber Nanocomposites

Susmita Sadhu, Indian Institute of Technology , India

Madhuchhanda Maiti, Indian Institute of Technology , India

Anil K. Bhowmick, Indian Institute of Technology , India